

ERRATUM

Open Access



Erratum to: Reference intervals for thyroid stimulating hormone and free thyroxine derived from neonates undergoing routine screening for congenital hypothyroidism at a university teaching hospital in Nairobi, Kenya: a cross sectional study

Geoffrey Omuse^{1*}, Ali Kassim¹, Francis Kiigu¹, Syeda Ra'ana Hussain² and Mary Limbe²

Erratum

After the publication of this article [1], one of the authors noticed that the wrong image had been used for Fig. 1 (a duplicate of Fig. 3). The correct Fig. 1 is shown below. This mistake was carried forward by production, and thus, is not the fault of any of the authors

Author details

¹Department of Pathology, Aga Khan University Hospital, P.O. Box 30270–00100, Nairobi, Kenya. ²Department of Paediatrics, Aga Khan University Hospital, P.O. Box 30270–00100, Nairobi, Kenya.

Received: 21 March 2017 Accepted: 24 March 2017

Published online: 29 March 2017

Reference

1. Geoffrey O, Ali K, Francis K, Syeda Ra'ana H, Mary L. Reference intervals for thyroid stimulating hormone and free thyroxine derived from neonates undergoing routine screening for congenital hypothyroidism at a university teaching hospital in Nairobi, Kenya: a cross sectional study. *BMC Endocrine Disorders*. 2016;16:23. doi:10.1186/s12902-016-0107-9.

* Correspondence: g_omuse@yahoo.com

¹Department of Pathology, Aga Khan University Hospital, P.O. Box 30270–00100, Nairobi, Kenya

Full list of author information is available at the end of the article






Fig. 1 Distribution of TSH values in relation to age